

1133279-0017

In the claims:

This listing of claims will replace all previous versions, and listings, of the claims in the application.

94 1. (currently amended) An expandable stent that is capable of being crimped onto a delivery device, the stent comprising a main body having a circumference, the main body comprising: a plurality of first helical segments having a circumferential dimension that expands when the stent is expanded and contracts when the stent is crimped; and a plurality of second helical segments having a circumferential dimension that expands when the stent is expanded and contracts when the stent is crimped; wherein, when the stent is crimped, a portion of one of the first helical segments and a portion of another of the first helical segments nestle between a portion of one second helical segment and a portion of another second helical segment; and wherein, when the stent is crimped, portions of a second helical segment ~~nestle~~ nest within portions of a first helical segment.

2. (currently amended) The stent of claim 1, further comprising a first endzone and a second endzone, the endzones straddling the main body, and wherein the endzones and the first expandable ~~elements~~ segments and the second expandable ~~elements~~ segments expand at different rates when the stent is subjected to a radial expansion force.

3. (original) The stent of claim 2, wherein the endzones comprise square outer edges.

1133279-0017

4. (original) The stent of claim 2, wherein the first helical segments form a first helical angle and the second helical segments form a second and different helical angle.
5. (original) The stent of claim 4, wherein the first helical segments are comprised of a plurality of first expandable elements and wherein the second helical segments are comprised of a plurality of second expandable elements, and wherein the second expandable elements expand at a faster rate than the first expandable elements.
6. (currently amended) The stent of claim 5, wherein, when the stent is subject to a radial expansion force, the main body expands an at a uniform rate.
7. (currently amended) The stent of claim 6, wherein the stent has a crimped diameter of less than 2.0 mm and an expanded diameter of greater than ~~12mm~~ 12.0 mm.
8. (currently amended) The stent of claim 6, wherein the first expandable elements are comprised of a plurality of substantially R-shaped structures.
9. (currently amended) The stent of claim 8, wherein the R-shaped ~~elements~~ structures share a common filament element and are inversely oriented to one another.
10. (currently amended) The stent of claim 9, wherein the second expandable elements are comprised of a ~~pluarlity~~ plurality of linear segments joined together by curved segments.

1133279-0017

11. (currently amended) The stent of claim 10, wherein the second expandable elements are substantially Z-shaped.

94
12. (currently amended) A balloon expandable cylindrically shaped stent having a geometry that allows the stent to be crimped onto a delivery device, the stent comprising:
a plurality of first expandable elements, the first ~~expandable~~ expandable elements being expandable in a circumferential direction, the circumferential direction being parallel to the circumference of the stent;
a plurality of second expandable elements, the second expandable elements also being expandable in the circumferential direction;
a plurality of first struts ~~for~~ joining the first expandable elements together to form a plurality of first helical segments and ~~for~~ joining the second expandable elements together to form second opposing helical ~~segments~~ segments, each first strut joining two first expandable elements and joining two second expandable ~~elements~~ elements;
wherein, when the stent is crimped, a portion of one of the first expandable elements nests within another portion of ~~another~~ the same first expandable element.

13. (original) The stent of claim 12, wherein, when the stent is crimped, portions of two first expandable elements nestle between a portion of one of the second expandable elements and a portion of another second expandable element.

14. (original) The stent of claim 13, wherein the first helical segments are oriented at a first helical angle and the second helical segments are oriented at a second and different helical angle.

1133279-0017

15. (currently amended) The stent of claim 13, wherein the first helical segment has a total ~~filament~~ length that differs from that of the second helical segment.

16. (currently amended) The stent of claim 13, further comprising square outer ~~ends~~ edges.

64
17. (currently amended) A stent having a generally cylindrical main body, the main body comprising:
a plurality of helical segments, at least one helical segment crossing another helical segment; and
wherein the stent has a crimped ~~radius~~ diameter and an expanded radius diameter that is 3-6 times the crimped ~~radius~~ diameter, and the stent undergoes substantially no foreshortening during expansion.

18. (original) The stent of claim 17, wherein the helical segments contract and expand in a direction parallel to the circumference of the main body when the stent is crimped and expanded.

19. (original) The stent of claim 18, wherein at least one helical segment is comprised of a plurality of R-shaped filaments.

20. (original) The stent of claim 18, wherein at least a portion of one helical segment nestles between two other helical segments when the stent is crimped.

21. (currently amended) The stent of claim 20, wherein the stent is manufactured from a tube having a diameter of approximately between 0.03 to 0.500 inches.

1133279-0017

22. (original) The stent of claim 21, wherein the stent is manufactured by laser cutting the tube.

23. (currently amended) A balloon expandable stent having a geometry for crimping ~~it to~~ onto a delivery device, the stent comprising:

a plurality of contiguous filaments forming a plurality of circumferentially expandable helical segments, at least one helical segment having a first portion that nests within another portion of the same helical segment and a second portion that nestles between two other helical segments.

94 24. (original) The stent of claim 23, wherein the stent has a crimped diameter and an expanded diameter 3-6 times the crimped diameter.

25. (original) The stent of claim 24, wherein the stent, in its expanded state, has a stent to vessel ratio greater than approximately 15%.

26. (original) A stent comprising:
a plurality of cells, each cell comprised of:
a plurality of first elements;
a plurality of second elements, wherein each first element is connected to two second elements and each second element is connected to two first elements, thereby forming a polygon, wherein when the stent is crimped at least a portion of one of the first elements nestles between portions of two second elements; and
a plurality of struts connecting one cell to another.

1133279-0017

27. (original) The stent of claim 26, wherein the second elements expand at a greater rate than the first elements, and wherein the cells uniformly circumferentially expand.

28. (currently amended) The stent of claim 27, wherein ~~the~~ each first element has at least a portion that is generally R-shaped.

29. (original) The stent of claim 27, wherein the second elements are generally Z-shaped.

94 30. (currently amended) The stent of claim 28, wherein the cells are joined together by the struts to form:
a plurality of first helical segments that are comprised of a plurality of the first elements; and
a plurality of second helical segments that are comprised of a plurality of the second elements.

31. (original) The stent of claim 30, wherein the struts are integral parts of the first and second elements.

32. (currently amended) A stent comprising:
a plurality of first elements comprised of one or more generally R-shaped filament segments;
a plurality of second elements comprised of one or more generally Z-shaped filament segments;
a plurality of struts joining at least some the first elements together to form one or more generally ~~first~~ helical first segments and joining at least some of the second elements to form one or more generally helical second segments, wherein the struts are integral parts of the first and second elements.

1133279-0017

33. (original) The stent of claim 32, wherein the first and second elements and the struts are portions of the same contiguous piece of material.

34. (original) The stent of claim 33, further comprising endzones.

35. (original) The stent of claim 34, wherein the endzones are part of the same contiguous piece of material.

36. (original) The stent of claim 35, wherein the first and second elements expand in a circumferential direction at different rates when the stent is subject to a radially expansive force.

37. (original) The stent of claim 36, wherein the stent uniformly expands circumferentially when subject to a radially expansive force.